

Spray Foam & Coatings Rig Systems Trailers and Box Trucks

The EnDiSys Spray Rigs are designed to meet the rigorous environments encountered by contractors and come complete with Training on all of the equipment.



- Trailer Standard Specs

- Twin 7000 lb Spring Axles
- 8 in Main Beams
- 12 in On Center Cross Members
- Double ¾ in Engineered Flooring
- ¾ in Engineered Walls
- Insulated Walls and Ceilings (R6)
- Finished Ceiling Liner
- 7 ft 4 in Ceiling Height
- Aluminum Stoneguard
- Cam-lock Double Barn Doors Back
- 4 ft Cam-lock Swing Door curbside with camper style latch
- Roof Vents
- 12 VDC Lights with Switch
- Heavy Duty Crank Jack (12,000 lb)
- 8 ft Trailer width
- Rivet-less Construction

- Box-Truck Standard Specs

- Insulated Dividing Wall with pass thru door optional
- Hose Hanger
- Diamond Plate Flooring
- Vinyl Flooring under Barrels
- Electric Heater
- Air Conditioner
- Color Coded Drum Restraints
- Workstation w/ Tool Chest
- Custom Tool Set
- Safety Equipment

- Electrical System

- 40kw or 55kw Generator w/ John Deere Diesel
- Single or 3 Phase Power
- Choice of compressor output size 22cfm, 35cfm piston and 40 cfm or 55 cfm screw
- Digital Controls
- Shutdown Alarms
- Shore Power w/ Auto Transition Switch
- 125 Amp Distribution Box
- Three (3) GFI Outlets
- Light Fixtures

- Graco Equipment

- Choice of Reactor from low pressure foam machine to high pressure coatings
- 200 ft hose typical with up to 400 ft for select reactors
- 10 ft Heated Whip
- Choice of guns Air Purge, CS, Mechanical Purge Fusion Guns, Probler or GX Series

- Fluid Handling Accessories

- Agitator
- Choice of Supply Pumps T1, T2, Diaphragm
- Recirculation System

- Spare Parts & Accessories

- Rebuild Kits - Transfer Pumps
- Rebuild Kits - Proportioning Pumps
- Desiccant Dryers
- Extra Whip Hose
- Relief Valve
- TSL Quart
- Flat Spray Adaptor
- Extension Tips
- O-Ring kits
- Replacement Screens
- Grease
- Side seals
- Mix Chamber
- Gun Cleaning Kit
- Safety Strip Gun Cleaner

- Options

- Remote Start from Reactor Room
- Barrel Lift
- Truck Lift Gates
- Electric Trailer Jacks
- Spare Tires for Trailers
- Dual Reactor Systems
- Custom Material storage
- Custom Trailer and Box Truck Sizes
- (2) PowerBlanket Barrel Heaters

- Breathable Air System(s) - Choice of:

- High Pressure 3 Stage Filter System **OR** Ambient Air 2 man system
- Constant Flow Hood
- Sealed Full Mask(s)
- Tear-away Lenses
- Replacement Filter Kit
- Climate Control Tube



Home Office

14329 Northdale Blvd, Rogers, MN 55374
Voice: 763.428.5075 Fax: 763.428.5078

Illinois Office

120 Industrial Drive, Gilberts, IL 60136
Voice: 847.844.1854 Fax: 847.844.1857

Ohio Office


2962 Township Road 97, McComb, OH 45858
Voice: 763.286.4821 Fax: 763.428.5078




Trailers

Typical Layout for Standard Trailer Systems. These can be adjusted to meet specific customer requirements.
Custom trailer sizes are available with additional 4-5 week lead time.

20 Ft V-Nose Bumper Rated 15,400 GVWR



28-Ft Gooseneck Rated 16,000 GVWR




Box Trucks

Typical Layout for Standard Trailer Systems. These can be adjusted to meet specific customer requirements.
Custom trailer sizes are available with additional 4-5 week lead time.

16-20 Ft Box Truck Equipment 17,000-26,000 GVWR

- Insulated Walls and Ceilings
- 3/8 in Plywood Ceiling
- 3/4 in Plywood Side Walls
- 7 ft 6 in Ceiling Height
- 4 ft Curbside Door with Cam Lock
- Fiberglass or Poly Rear Roll-up Door
- 12VDC Lights wired to vehicle ignition
- Hand holds and steps for side and rear doors
- Lift Gate optional
- Under Box Tool storage optional


16 Ft Box Truck




Box Trucks

Typical Layout for Standard Trailer Systems. These can be adjusted to meet specific customer requirements.
Custom trailer sizes are available with additional 4-5 week lead time.

18 Ft Box Truck



20 Ft Box Truck



Home Office
14329 Northdale Blvd
Rogers, MN 55374

Tel: 763-428-5075
Fax 763-428-5078

Illinois Office
120 Industrial Drive
Gilberts, IL 60136

Tel: 847-844-1854
Fax 847-844-1857

Ohio Sales Office
2962 Township Road 97
McComb, OH 45858

Tel: 763-286-4821
Fax: 763-428-5078

Customer Service
763-428-5075
Fax 763-428-5078
techservice@endisys.com